

SOUTH AUSTRALIA.

---

# ANNUAL REPORT

OF THE

REGISTRAR-GENERAL OF BIRTHS, DEATHS,  
AND MARRIAGES.

---

1880.

---

ADELAIDE:  
PRINTED BY E. SPILLER, GOVERNMENT PRINTER, NORTH-TERRACE.

1881.

General Register Office, Adelaide, March 10, 1881.

Sir—I have the honor to present a report of births, deaths, and marriages registered in the year 1880.

The number of births amount to 10,262 (males, 5,398, females, 4,864); the deaths number 3,912 (males 2,207, females 1,705); the marriages celebrated number 2291.

The natural increase, or excess of births over deaths, is 6,350. The addition of males to the population is 3,191; that of females is 3,159. The total increase is 28 above that of 1879.

The births, 10,262, are more numerous than in any previous year; they are 360 above those of 1879. The birth-rate to every 1,000 of the population is 38·81. This rate is higher than that of any of the last five years; that of the previous was 38·80.

The excess of births in the districts over those of last year was—in Adelaide, 148; Hindmarsh, 103; Port Adelaide, 57; Daly, 7; Robe, 17; Mount Barker, 4; Highercombe, 8; Port Gawler, 63; Gilbert, 21; Clare, 72; Frome, 185; Flinders, 10. The districts in which the increase is above 100 are Frome, Adelaide, and Hindmarsh. In fourteen districts there is a decrease. In Grey, the number was 63 less; in Barossa, 71; in Angaston, 36; in Kapunda, 20. The remaining decrease is distributed among other districts in lower numbers.

The births, in quarterly divisions of the year, were—in the quarter ending 31st March, 2,308; in the quarter ending 30th June, 2,831; in the quarter ending 30th September, 2,824; in the quarter ending 31st December, 2,299. The distribution of these registrations differs, to some extent, from those in previous years. In each of the years from 1876, the September quarter has been invariably the highest in the number of births. In 1876, the excess of births in the September quarter, above the June quarter (which were the next highest), was 50; in 1877, the excess was 191; in 1878, the excess was 101; in 1879, the excess was 131. In this year, in the September quarter, the number of births was less by seven than that in the June quarter. The numbers 2,831 in the June quarter, and 2,824 in the September quarter, are the highest ever registered in those quarters respectively, or in any quarterly division of the year. In three out of the five years, the lowest number of births was registered in the first quarter of the year.

There were 5,398 boys, and 4,864 girls born in the year. The proportion of the births of boys to 100 girls is 111. This is an increase in the proportion of the births of boys, relatively to those of girls, not before reached in any former year. In 1877 the proportion of births of males to 100 females was 107.

#### DEATHS.

The deaths amounted to 3,912. They were 332 above those of the previous year.

The death-rate per 1,000 of the population is 14·79. This is higher than the rate of the previous year, which was 14·04, and than that of 1878, which was 14·00. The present death-rate is below that of 1876, which was 16·36, and below that of 1878, which was 15·44. The death-rate of England, according to the last annual report of the Registrar-General received, that of 1878, was 21·7 per 1,000 of the population.

The deaths of males were 2,207; of females, 1,705; an excess of the former above those of the latter of 502. In the births, the excess of the number of males above that of females is 534; in the deaths, the excess of males is 502. The addition of males to the population above that of females is in excess of that of the latter but 52. The deaths of males to 100 females is 129. The death-rate of males to 1,000 of the male population is 16·00; the death-rate of females to 1,000 of the female population is 13·48.

The deaths of infants under one year of age numbered 1,393; those of males being 790, those of females 603. The deaths of the males exceeded those of the females by 187. The proportion of deaths, at various ages, to 100 of the whole number of deaths is—under one year of age, 36; one year and under five, 15; five and under twenty, 9; twenty and under forty, 13; forty and under sixty, 14; sixty and under eighty, 12; eighty and above, 1. The proportion of deaths of children under one year of age to 1,000 births is 135. This is greater than that of 1879, which was 122. In England, in 1878, the proportional number of infants' deaths to 1,000 births was 152.

The greatest mortality in the year was in the March quarter, when the deaths were 1,097. In the June quarter the

deaths were 1,005; in the September, 951; in the December, 859. Compared with the previous year the increase of deaths in the first quarter is 128. The relation of deaths in each of the quarterly divisions to 1,000 of the whole number registered in the year is in the first quarter, 280; in the second, 257; in the third, 243; in the fourth, 220. In 1879 the greatest number of deaths occurred in the June quarter, 292, which is above any one quarter in this year. The proportion of deaths in the December quarter of this year, 220, is lower than that of the previous year.

The greatest number of deaths in any one month took place in April, when they were reckoned at 392. This month has even been notable for its greater mortality above any other month. The least number of deaths occurred in October, namely, 219. In June, September, and November the deaths were 276, 251, and 276, respectively. In each of the five months, January, February, March, July, and December, the deaths were above 360. In May they were 337; in August, 333.

The deaths in the district of Adelaide were 1,646. The proportion of deaths in this district to 1,000 of the total of deaths registered in the province is 420. In 1879 the deaths were 1,476, and were in proportion to 1,000 of all the deaths registered in the province, 412. Compared with 1879, the deaths in the district of Hindmarsh are 42 in excess. The increase in the district of Daly is 22; of Robe, 14; of Gilbert, 14; of Burra, 19; of Clare, 53; of Upper Wakefield, 19; of Frome, 75. The registrations of deaths appear less in the following districts:—Port Adelaide, 14; Grey, 18; Strathalbyn, 23; Morphett Vale, 9; Port Gawler, 9; Barossa, 20; Angaston, 11; Kapunda, 14.

*Causes of Death.*—Zymotic Diseases. The deaths in this class number 935. The proportion to 1,000 of deaths from all causes is 240. They are 125 above those of the previous year. The increase occurs chiefly under the order miasmatic diseases, which has risen from 717 to 832. Compared with 1879 the individual diseases which contribute to this increase are—measles, 9 for 1; scarlatina, 105 for 72; diphtheria, 93 for 82; croup, 103 for 86; diarrhoea, 287 for 230; cholera, 23 for 10. Deaths from typhoid fever were less by 38.

The number of infants under one year of age whose deaths arose from miasmatic diseases is 334. Of this number 218 are attributable to diarrhoea. Consequent on this cause, the deaths were 56 in January; 49 in March; and 46 in December. In June, July, August, September, and October, the deaths were 6, 4, 1, 5, 1, respectively. In the month of April the deaths from typhoid fever were 16; in May, 8; in the other months they range from 6 to 2.

*Constitutional Diseases.*—The proportion of deaths from these diseases to 1,000 of the total for the province is 136. They have increased 35 over those of 1879. This additional number is found under dietic diseases, and amongst infants under one year of age. To *tabes mesenterica* are attributable 54 deaths. Phthisis has 277 deaths in the place of 271. The greatest fatality arising from phthisis was in April, 34, and in September, 31. The deaths in January are 17; in November, 17; in October, 18.

The high number of 39 is assigned to hydrocephalus, which, in the immediately preceding, reached to 19.

*Local Diseases.*—The mortality under this division is unusually large, the deaths being 1,502. Such is an increase of 89 over those of 1879. Under diseases of the nervous system there is a lessening of 72 deaths. This appears most especially under convulsions, which have a decrease of 33; and diseases of the brain, which are less by 45. Diseases of the organs of circulation.—The deaths in the total are but one above those of the former year. From heart disease there are five more deaths.

Deaths from diseases of the respiratory organs are especially numerous. Whereas, in 1879 they reached 376, in this year they attain to 551, an excess in the latter year over that of the former of 175. In the majority of specified diseases the difference in this year does not appear to disadvantage. In pneumonia there is only an increase of 2. The greatest difference is from bronchitis. In 1879 the deaths from this cause were 145; in the present year they are 323. No one disease has recorded under it so large a number of deaths. The months in which bronchitis principally prevailed are July, in which 70 deaths were registered; in August with 64 deaths; in September with 34. Of the 134 deaths in July and August 94 were those of infants. Above one year of age and under five years the deaths were 19. The deaths of persons above 60 were 15.



*Diseases of the Digestive Organs.*—There are fewer cases of death under this division. Enteritis was the cause of 38 deaths: peritonitis of 35; liver disease of 43.

Deaths from diseases of the urinary organs are 67, an increase of 22. The number under the different diseases vary to no great extent. In this year are 5 deaths from stone, and 8 from cystitis, which causes of death do not appear in the year before.

*Developmental Diseases.*—In this year the deaths in this class are not excessive. They amount to 698, and exceed the previous year by 38.

Deaths from premature birth are not so numerous. Deaths from teething are 15 above.

Deaths from childbirth are less in number. From old age the deaths were 166, which is above the average. Of these deaths 79 were those of males; 87 those of females. Nine deaths occurred of persons between the ages of 90 and 95 years; one between the age of 95 and 100 years.

The deaths from atrophy and dibility were 312; of which 265 are those of children under one year. The whole number of deaths from these causes exceed those of the previous year by 8. Most of the deaths, 45, took place in April. The number in October was reduced to 9.

There is nothing remarkable in the order of diseases in this class.

The proportion of the deaths of male infants to 1,000 of the births of males is 273; that of females to 1,000 of the births of females is 245.

*Violent Deaths.*—The deaths in this class are 216; an increase of 11 above those of 1879.

The number of deaths registered under accident or negligence is 186; under homicide, 5; under suicide, 25.

In the deaths from accident or negligence are included 96 from fracture and contusion. Thirty of these took place in the district of Adelaide, 11 in the district of Clare, and 11 in the district of Frome. Eighty-six of the deaths were of males, 10 of females. From burns and scalds resulted 22 deaths, 6 being those of males, 16 of females; three of the deaths were of children under one year of age, and 13 of the ages from one year and under five. Drowning was the cause of 40 deaths of males and 7 of females. Thirty-three deaths were of males of the ages between 10 and 50 years. In the district of Adelaide 7 persons were drowned; in Port Adelaide, 2; in Daly, 6; in Kapunda, 4; in Clare, 4; in Frome, 5. Of 25 suicides 13 were committed in the district of Adelaide, 4 in that of Frome. The men number 19, the women 6. Six men destroyed themselves by gunshot wounds, and 5 by cut or stab. The greater number of deaths were by drowning. Most of the suicides by men were by those of the ages between 25 and 50 years, by women between 30 and 45.

MARRIAGES.

The marriages number 2,291. They exceed those of 1879 by 53. The proportion to every thousand of the population is 8.66. This varies but little from that of former years from 1876. Exception is to be made for 1878, when the rate was 9.47. The marriage-rate, or number of persons married relatively to 1,000 of the population, is 17.32. The marriage-rate in England, thus estimated, is given as 15.3 in 1878.

Persons married, 4,582, included 2,060 bachelors, 2,107 spinsters, 231 widowers, and 184 widows. 1,967 bachelors married spinsters and 93 married widows; 1,967 spinsters married bachelors and 140 married widowers. Of 231 widowers 140 married spinsters and 91 married widows.

The number of persons married under 20 years of age was 764, that of the women being 701. The number between 20 and 25 years was 2,167; of men 1,116, of women 1,051. At these last ages the number both of men and women married is higher than at any other period of life. The number is the same as that registered in 1879. The men are less in number by 36; the women more by 95. Under 30 years there were married 600 men and 283 women—an increase in both over the previous year. In the higher ages the numbers differ but slightly. In 59 marriage certificates the ages of both persons married or of one are not given. The Registrar-General of England writes in his report for 1878 —“ I should be glad if the clergy, at the time of registering the marriage, would state that it is of considerable importance, not only to the parties themselves, that their precise ages should be returned either for tracing pedigree or for proof of personal identification in establishing title to property, but that such particulars would also enhance the value of these national records for purposes of statistical investigation.”

As shown in previous annual returns, it appears in this year that the greatest number were celebrated in the March quarter. The December quarter succeeds this as the next highest in number.

The signatures by marks, 275, are 25 less than 1879.  
I have, &c.,  
JOHN F. CLELAND,  
Registrar-General of Births, Deaths, and Marriages.  
The Honorable the Chief Secretary.

Return showing the Number of Births, Marriages, and Deaths which were registered in the Year 1880; and the Proportion of Births, Marriages, and Deaths to every 1,000 persons living.

Population June 30.	Total Number of			Proportion to every 1,000 of the Population.		
	Births.	Marriages.	Deaths.	Births.	Marriages.	Deaths.
264,424	10,262	2,291	3,912	38.81	8.66	14.79

Quinquennial Return showing the Proportion of Births, Marriages, and Deaths to the living Population.

Year.	Proportion to every 1,000 of the Population of		
	Births.	Marriages.	Deaths.
1876 .....	37.94	8.54	16.38
1877 .....	37.41	8.67	14.00
1878 .....	38.22	9.47	15.44
1879 .....	38.80	8.77	14.04
1880 .....	38.81	8.66	14.79

Return showing the Number of Births and Deaths registered in each Quarter of the Year 1880, and the Excess of Births over Deaths.

	Registered during the Year.			Quarter											
				March.			June.			September.			December.		
	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.	Total.	M.	F.
Births .....	10,262	5,398	4,864	2,308	1,223	1,085	2,831	1,519	1,312	2,824	1,468	1,356	2,299	1,188	1,111
Deaths .....	3,912	2,207	1,705	1,097	579	518	1,005	602	403	951	536	415	859	490	369
Excess of Births over Deaths....	6,350	3,191	3,159	1,211	644	567	1,826	917	909	1,873	932	941	1,440	698	742

Quinquennial Return showing the Number of Births registered in the Quarters of the Years.

	1876.	1877.	1878.	1879.	1880.
Quarter ended March 31..	1,893	1,978	2,230	2,308	2,308
“ June 30 ..	2,154	2,182	2,369	2,555	2,831
“ Sept. 30 ..	2,204	2,373	2,460	2,686	2,824
“ Dec. 31 ..	1,973	2,107	2,223	2,353	2,299
Total .....	8,224	8,640	9,282	9,902	10,262

Quinquennial Return showing the Number of Deaths registered in the Quarters of the Years.

	1876.	1877.	1878.	1879.	1880.
Quarter ended March 31..	906	1,030	1,088	968	1,097
“ June 30 ..	834	874	1,001	1,042	1,005
“ Sept. 30 ..	940	592	771	737	951
“ Dec. 31 ..	870	739	889	833	859
Total .....	3,550	3,235	3,749	3,580	3,912

## Causes of Death at different periods of life in the Year 1880.

		MALES.																										
Class.	Cause of Death	Ages at Death.																										Not Stated
		All Ages.	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100		
	ALL CAUSES .....	2207	790	149	61	35	34	55	49	67	94	77	75	90	93	87	81	78	75	80	59	37	22	12	5	1		
	SPECIFIED CAUSES.....	2184	787	149	60	35	33	54	47	66	94	76	75	86	91	84	81	76	75	79	59	36	22	12	5	1		
	Classes.																											
I.	ZYMOTIC DISEASES .....	456	217	59	34	22	23	19	11	13	11	4	7	6	5	3	4	4	2	6	5	—	1	—	—	—	—	
II.	CONSTITUTIONAL DISEASES .....	312	45	9	6	3	—	6	5	16	35	33	23	25	24	17	23	13	10	11	3	2	3	—	—	—		
III.	LOCAL DISEASES .....	904	284	57	17	7	7	17	17	22	28	18	35	43	45	53	48	51	52	45	34	16	6	2	—	—		
IV.	DEVELOPMENTAL DISEASES .....	344	235	19	2	—	—	1	2	—	—	—	1	—	—	—	—	1	7	16	13	18	12	10	5	—		
V.	VIOLENT DEATHS .....	168	6	5	1	3	3	12	13	13	20	21	9	12	17	11	5	7	4	1	4	—	—	—	—	—		
	Orders.																											
I.	1. MIASMATIC DISEASES .....	391	172	57	34	22	23	19	11	12	10	4	2	3	3	—	3	3	2	5	5	—	1	—	—	—	—	
	2. ENTHETIC DISEASES .....	8	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	3. DIETIC DISEASES .....	46	30	2	—	—	—	—	—	1	1	—	4	2	2	2	1	1	—	—	—	—	—	—	—	—		
II.	4. PARASITIC DISEASES .....	11	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	1. DIATHETIC DISEASES .....	78	5	—	1	1	—	2	2	—	5	2	2	3	8	13	8	9	8	2	1	3	—	—	—	—		
III.	2. TUBERCULAR DISEASES .....	234	40	9	5	2	—	4	3	16	30	31	21	22	21	9	10	5	1	3	1	1	—	—	—	—		
	1. DISEASES OF NERVOUS SYSTEM .....	247	91	18	2	1	4	3	3	6	5	6	10	6	14	9	8	13	13	13	9	8	4	1	—	—		
	2. DISEASES OF ORGANS OF CIRCULATION.....	126	6	—	—	—	—	3	7	5	4	3	5	12	14	13	12	10	10	9	9	3	1	—	—	—		
	3. DISEASES OF RESPIRATORY ORGANS .....	338	147	31	11	6	2	2	2	4	10	5	9	13	10	16	16	14	16	10	10	2	1	1	—	—		
	4. DISEASES OF DIGESTIVE ORGANS.....	134	34	6	1	—	—	9	3	4	6	4	8	9	5	10	8	10	7	5	3	2	—	—	—	—		
	5. DISEASES OF URINARY ORGANS .....	46	1	1	3	—	1	—	1	2	2	—	3	3	2	4	3	4	4	8	3	1	—	—	—	—		
	6. DISEASES OF ORGANS OF GENERATION .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	7. DISEASES OF ORGANS OF LOCOMOTION .....	5	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—		
IV.	8. DISEASES OF INTEGUMENTARY SYSTEM .....	8	5	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—		
	1. CONGENITAL MALFORMATION AND DEVELOPMENTAL DISEASES OF CHILDREN .....	100	89	9	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	2. DEVELOPMENTAL DISEASES OF ADULTS .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	3. DEVELOPMENTAL DISEASES OF OLD PEOPLE .....	79	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	16	12	18	12	10	5	1		
V.	4. DISEASES OF NUTRITION .....	165	146	10	2	—	—	—	—	1	—	—	—	—	—	—	—	1	1	2	1	—	—	—	—	—		
	1. ACCIDENT OR NEGLIGENCE.....	146	6	5	1	3	3	12	13	13	16	18	8	10	13	7	4	6	3	1	3	—	—	—	—	—		
	2. HOMICIDE .....	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	3. SUICIDE .....	19	—	—	—	—	—	—	—	—	2	3	1	1	4	4	1	1	1	—	1	—	—	—	—	—		
	4. EXECUTION .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	5. SUDDEN DEATHS CAUSES NOT ASCERTAINED .....	7	—	—	—	—	—	1	—	1	—	—	—	—	2	1	—	—	1	—	—	—	—	—	—	—		
	CAUSES NOT SPECIFIED .....	16	3	—	1	—	1	—	2	—	—	—	1	—	4	—	2	—	1	—	—	—	—	—	—	—		
I.	ORDER 1.																											
	Measles .....	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Scarlatina .....	42	6	9	7	6	8	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Diphtheria .....	43	6	10	11	5	3	6	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Quinsy .....	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Croup .....	53	9	13	10	7	9	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Whooping Cough .....	12	9	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Typhoid Fever.....	30	—	—	1	3	2	—	4	8	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Erysipelas .....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Metria .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Carbuncle .....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Influenza .....	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Dysentery .....	25	15	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	2	—	—	—	—	—		
	Diarrhoea .....	146	117	18	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	2	—	—	—	—	—		
	Cholera .....	10	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Remittent Fever.....	9	2	—	1	—	—	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Rheumatism .....	10	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Other Causes .....	3	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—		
	ORDER 2.																											
	Syphilis .....	6	5	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
	Stricture of Urethra .....	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	ORDER 3.																											
	Privation .....	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Want of Breast Milk .....	31	29	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Purpura and Scurvy .....	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—</												



## Causes of Death at different periods of life in the Year 1880.

Class.	Cause of Death.	FEMALES.																										Not Stated
		Ages at Death.																										
		All Ages.	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100		
	ALL CAUSES.....	1705	603	165	51	38	47	67	32	53	72	77	40	65	52	48	38	32	53	48	46	44	15	15	4	—	—	
	SPECIFIED CAUSES.....	1702	603	165	51	38	47	66	32	53	71	77	40	65	52	47	38	32	53	48	46	44	15	15	4	—	—	
	Classes.																											
I.	ZYMOTIC DISEASES.....	479	191	78	33	26	31	35	13	12	10	11	4	6	7	8	4	1	4	2	2	1	—	—	—	—	—	
II.	CONSTITUTIONAL DISEASES.....	223	31	8	1	1	4	8	4	21	25	24	14	14	13	12	10	8	6	8	5	4	1	1	—	—	—	
III.	LOCAL DISEASES.....	598	185	47	12	9	8	21	12	16	26	33	15	30	20	24	23	22	35	22	21	14	3	—	—	—	—	
IV.	DEVELOPMENTAL DISEASES.....	354	191	22	2	—	—	—	2	2	8	6	5	10	11	2	1	1	7	15	16	25	10	14	4	—	—	
V.	VIOLENT DEATHS.....	48	5	10	3	2	4	2	1	2	2	3	2	5	1	1	—	—	1	1	2	—	—	—	—	—	—	
	Orders.																											
I.	1. Miasmatic Diseases.....	441	162	78	33	25	31	34	13	12	9	10	4	4	6	6	4	1	4	2	2	1	—	—	—	—	—	
	2. Enthetic Diseases.....	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	3. Dietic Diseases.....	29	23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	4. Parasitic Diseases.....	6	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
II.	1. Diathetic Diseases.....	70	2	1	—	—	—	—	1	3	4	3	5	6	8	5	7	6	5	6	3	2	1	1	—	—	—	
	2. Tubercular Diseases.....	153	29	7	1	1	4	7	3	18	21	21	9	8	5	7	3	2	1	2	2	2	4	—	—	—	—	
III.	1. Diseases of Nervous System.....	184	72	17	4	5	4	6	4	3	2	6	4	10	3	4	5	6	10	8	6	4	1	—	—	—	—	
	2. Diseases of Organs of Circulation.....	82	1	—	—	—	—	—	4	2	3	4	6	3	7	6	8	8	6	11	4	6	2	1	—	—	—	
	3. Diseases of Respiratory Organs.....	213	90	27	6	3	3	7	4	3	14	9	3	5	1	4	5	5	5	6	7	5	1	—	—	—	—	
	4. Diseases of Digestive Organs.....	85	20	3	2	1	1	4	2	3	3	6	3	6	6	6	3	3	6	3	2	2	—	—	—	—	—	
	5. Diseases of Urinary Organs.....	21	—	—	—	—	—	—	—	3	1	4	—	2	1	2	2	2	2	1	—	—	—	—	—	—	—	
	6. Diseases of Organs of Generation.....	5	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
	7. Diseases of Organs of Locomotion.....	3	—	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	8. Diseases of Integumentary System.....	5	2	—	—	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
IV.	1. Congenital Malformation and Developmental Diseases of Children.....	85	72	11	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
	2. Developmental Diseases of Adults.....	35	—	—	—	—	—	—	—	2	7	5	5	10	6	—	—	—	—	—	—	—	—	—	—	—	—	
	3. Developmental Diseases of Old People.....	87	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	13	15	25	10	14	4	—	—	
	4. Diseases of Nutrition.....	147	119	11	1	—	—	—	2	—	—	1	1	—	—	4	2	1	1	1	2	—	—	—	—	—	—	
V.	1. Accident or Negligence.....	40	4	10	3	2	4	2	1	2	2	2	1	2	—	—	—	—	1	1	1	—	—	—	—	—	—	
	2. Homicide.....	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	3. Suicide.....	6	—	—	—	—	—	—	—	—	—	1	1	3	1	—	—	—	—	—	—	—	—	—	—	—	—	
	4. Execution.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	5. Sudden Deaths, Causes Not Ascertained.....	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Causes Not Specified.....	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
I.	ORDER 1.																											
	Measles.....	7	1	1	3	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Scarlatina.....	63	5	18	9	5	14	8	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Diphtheria.....	50	9	11	7	6	4	11	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Quinsy.....	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Croup.....	50	8	13	8	5	9	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Whooping Cough.....	26	15	4	4	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Typhoid Fever.....	33	1	2	—	1	1	3	8	4	6	3	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	
	Erysipelas.....	7	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Metria.....	4	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Carbuncle.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Influenza.....	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Dysentery.....	22	8	6	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Diarrhoea.....	141	101	18	2	1	1	1	1	1	1	2	1	—	—	2	2	3	—	—	—	2	1	—	—	—	—	
	Cholera.....	13	5	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Remittent Fever.....	5	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Rheumatism.....	10	—	—	—	—	—	—	1	1	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Other Causes.....	5	—	1	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	ORDER 2.																											
	Syphilis.....	3	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Stricture of Urethra.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	ORDER 3.																											
	Privation.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Want of Breast Milk.....	22	22	—	—	—	—	—	—	—	—	—																

[illegible]



Class.	Cause of Death.	FEMALES.																											
		Ages at Death.																											
		All Ages.	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not Stated		
III.	ORDER 1.																												
	Cephalitis .....	9	6	—	—	I	—	I	—	—	I	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Apoplexy .....	34	—	I	—	—	I	—	I	—	I	—	I	5	3	I	—	4	3	3	3	5	I	—	—	—	—		
	Paralysis .....	12	—	—	I	—	—	—	—	—	—	—	—	—	—	I	—	—	I	3	3	I	I	—	—	—	—		
	Insanity .....	3	—	—	—	—	—	—	—	I	—	—	—	—	—	—	—	—	—	I	I	I	—	—	—	—	—		
	Chorea .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Epilepsy .....	6	—	—	—	—	—	—	—	—	—	2	I	2	—	—	—	I	—	—	—	—	—	—	—	—	—		
	Convulsions .....	61	46	8	3	I	—	2	—	—	—	I	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Brain Disease .....	41	15	5	—	2	I	2	2	2	—	I	2	2	—	I	I	I	3	I	—	—	—	—	—	—	—		
	Other Causes .....	18	5	3	—	I	2	I	I	—	—	I	—	—	—	—	I	—	I	—	—	2	—	—	—	—	—		
	ORDER 2.																												
	Pericarditis .....	3	—	—	—	—	—	—	I	I	—	—	—	—	—	—	—	I	—	—	—	—	—	—	—	—	—		
	Aneurism .....	I	—	—	—	—	—	—	—	—	—	—	—	—	—	I	—	—	—	—	—	—	—	—	—	—	—		
	Heart Disease .....	75	—	—	—	—	—	4	I	2	4	5	3	7	5	8	7	6	10	4	6	2	I	—	—	—	—		
	Other Causes .....	3	I	—	—	—	—	—	—	—	—	I	—	—	—	—	—	I	—	—	—	—	—	—	—	—	—		
	ORDER 3.																												
	Laryngitis .....	6	I	I	I	—	I	—	—	I	—	—	—	I	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Bronchitis .....	129	70	18	4	3	2	3	2	—	5	I	—	2	I	I	I	I	3	I	4	4	4	I	—	—	—		
	Pleurisy .....	5	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Pneumonia .....	47	11	4	I	—	—	2	I	2	7	7	—	2	—	—	—	3	I	2	—	3	I	—	—	—	—		
	Asthma .....	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	I	I	—	2	I	—	—	—	—	—	—		
	Lung Disease .....	14	4	I	—	—	—	2	I	—	—	2	I	I	—	—	—	I	—	—	—	—	—	—	—	—	—		
	Other Causes .....	7	4	I	—	—	—	—	—	—	I	—	—	—	—	—	—	—	—	I	—	—	—	—	—	—	—		
	ORDER 4.																												
	Gastritis .....	3	I	—	—	—	—	—	I	I	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Enteritis .....	20	10	I	I	—	—	2	—	I	—	I	—	—	—	—	2	—	I	I	—	—	—	—	—	—	—		
	Peritonitis .....	15	2	2	—	I	—	—	—	—	I	2	—	2	I	2	—	—	—	I	I	—	I	—	—	—	—		
	Ascites .....	3	—	—	—	—	—	—	I	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—		
	Ulceration of Intestines .....	4	I	—	—	—	—	—	—	—	I	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Hernia .....	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	I	I	—	—	I	—	—	—	—	—		
	Ileus .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Intussusception .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Stricture of Intestines .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Fistula .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Stomach Disease .....	5	I	—	—	—	—	—	—	I	—	—	2	—	I	—	—	—	—	—	—	—	—	—	—	—	—		
	Hepatitis .....	4	—	—	—	—	—	—	I	I	—	—	—	I	—	—	—	I	I	—	—	—	—	—	—	—	—		
	Jaundice .....	3	I	—	—	—	—	—	—	—	—	—	—	I	—	—	—	—	I	I	—	—	—	—	—	—	—		
	Liver Disease .....	17	2	—	I	—	—	—	—	I	—	I	—	I	I	2	I	I	3	I	I	I	—	—	—	—	—		
	Spleen Disease .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Other Causes .....	8	2	—	—	—	I	I	—	—	—	—	I	I	I	—	I	—	—	—	—	—	—	—	—	—	—		
	ORDER 5.																												
	Nephritis .....	I	—	—	—	—	—	—	—	I	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Ischuria .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Nephria .....	10	—	—	—	—	—	—	I	—	2	—	—	—	—	I	2	I	2	—	—	I	—	—	—	—	—		
	Diabetes .....	2	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Stone .....	I	—	—	—	—	—	—	—	—	I	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	Cystitis .....	2	—	—	—	—	—	—	—	—	—	—	—	—	—	I	—	—	—	I	—	—	—	—	—	—	—		
	Kidney Disease .....	5	—	—	—	—	—	—	I	I	I	—	—	—	I	—	—	I	—	—	—	—	—	—	—	—	—		
	Other Causes .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	I	—	—	—	—	—	—	—	—	—		
	ORDER 6.																												
Ovarian Dropsy .....	2	—	—	—	—	—	—	—	—	—	—	—	—	I	—	—	—	I	—	—	—	—	—	—	—	—			
Uterus Disease .....	3	—	—	—	—	—	—	—	—	2	—	—	I	—	—	—	—	I	—	—	—	—	—	—	—	—			
ORDER 7.																													
Arthritis .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Joint Disease .....	3	—	—	—	—	—	—	—	I	I	—	I	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
ORDER 8.																													
Phlegmon .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Ulcer .....	I	I	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Skin Disease .....	4	I	—	—	—	—	—	—	I	—	I	—	I	—	—	—	—	—	—	—	—	—	—	—	—	—			
IV.	ORDER 1.																												
Premature birth .....	34	34	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Cyanosis .....	4	3	—	—	—	—	—	—	—	—	—	—	—	I	—	—	—	—	—	—	—	—	—	—	—	—			
Spina Bifidia .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Other Malformations .....	5	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Teething .....	42	30	11	I	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
ORDER 2.																													
Paramenia .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Childbirth .....	35	—	—	—	—	—	—	2	7	5	5	10	6	—	—	—	—	—	—	—	—	—	—	—	—	—			
ORDER 3.																													
Old Age .....	87	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	13	15	25	10	14	4	—	—			
ORDER 4.																													
Atrophy and Debility .....	147	119	11	I	—	—	2	—	I	I	—	—	4	2	I	I	I	2	I	—	—	—	—	—	—	—			
ORDER 1.																													
Fractures and Contusions .....	10	—	I	—	I	—	2	—	—	—	—	I	I	—	—	—	—	I	—	2	—	I	—	—	—	—			
Gunshot Wounds .....	I	—	—	—	—	—	—	—	I	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Cut, Stab .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Burns and Scalds .....	16	I	4	2	I	3	—	—	2	2	—	—	—	—	—	—	—	I											

Class.	Districts ... ..	Adelaide.		Hindmarsh.		Port Adelaide.		Daly.		Willunga.		Yankalilla.		Encounter Bay.		Strathalbyn.		Robe.		Grey.		Wellington.	
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
—	BIRTHS.....	1,668	1,476	183	186	361	329	512	516	30	27	36	27	56	67	94	74	69	43	179	171	56	68
—	DEATHS—ALL CAUSES .....	935	711	61	81	117	109	184	140	10	4	9	10	26	19	21	17	26	11	55	29	10	16
	SPECIFIED CAUSES .....	934	711	61	81	117	109	181	140	10	4	9	10	25	19	18	17	24	11	54	29	18	16
	<i>Classes.</i>																						
I.	ZYMOTIC DISEASES .....	172	220	11	21	24	39	64	40	2	3	1	3	6	5	1	3	2	1	4	3	2	—
II.	CONSTITUTIONAL DISEASES .....	162	111	6	2	23	19	23	14	1	—	1	—	3	3	2	3	1	2	9	6	4	2
III.	LOCAL DISEASES .....	389	234	24	35	53	35	58	55	4	1	5	3	6	5	8	8	11	7	22	7	5	9
IV.	DEVELOPMENTAL DISEASES .....	158	133	18	22	13	14	25	27	3	—	—	3	3	5	4	2	6	1	9	12	5	4
V.	VIOLENT DEATHS .....	53	13	2	1	4	2	9	4	—	—	2	1	7	1	3	1	4	—	10	1	2	1
	<i>Orders.</i>																						
I.	1. Miasmatic Diseases .....	144	200	11	21	22	37	54	33	2	3	1	3	4	3	1	3	2	1	1	3	1	—
	2. Euthetic Diseases .....	6	3	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
	3. Dietic Diseases .....	14	15	—	—	2	2	10	6	—	—	—	—	—	1	2	—	—	—	3	—	—	—
	4. Parasitic Diseases .....	8	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	1. Diathetic Diseases .....	32	30	—	—	7	4	2	4	1	—	1	—	2	3	1	2	—	—	3	3	1	2
III.	1. TUBERCULAR DISEASES .....	130	81	6	2	10	15	23	10	—	—	—	—	1	1	1	1	2	6	3	3	—	—
	2. DISEASES OF NERVOUS SYSTEM .....	119	70	8	10	17	12	5	14	2	1	—	1	2	3	2	3	—	5	3	1	2	—
	3. DISEASES OF ORGANS OF CIRCULATION .....	59	41	—	3	6	7	11	3	—	—	3	—	2	2	—	—	—	3	1	1	—	—
	4. DISEASES OF RESPIRATORY ORGANS .....	119	75	12	17	19	11	26	27	1	—	2	4	3	4	2	4	3	9	1	1	3	—
	5. DISEASES OF DIGESTIVE ORGANS .....	59	32	4	5	10	4	11	10	1	—	—	—	1	1	2	4	3	1	1	1	4	—
	6. DISEASES OF URINARY ORGANS .....	28	10	—	—	—	1	4	—	—	—	2	—	—	—	1	2	—	1	1	1	—	—
	7. DISEASES OF ORGANS OF GENERATION .....	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	8. DISEASES OF ORGANS OF LOCOMOTION .....	1	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—
IV.	8. DISEASES OF INTEGUMENTARY SYSTEM .....	4	4	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
	1. CONGENITAL MALFORMATIONS AND DEVELOPMENTAL DISEASES OF CHILDREN .....	50	32	—	4	6	10	10	8	—	—	—	—	1	1	1	—	—	3	—	—	2	—
	2. DEVELOPMENTAL DISEASES OF ADULTS .....	—	4	—	2	—	—	—	5	—	—	—	—	—	1	—	—	—	1	3	—	2	—
	3. DEVELOPMENTAL DISEASES OF OLD PEOPLE .....	37	36	3	5	1	1	5	—	2	—	—	2	—	3	2	2	2	—	3	3	—	—
V.	4. DISEASES OF NUTRITION .....	71	61	15	11	6	3	10	14	1	—	—	1	3	1	1	4	—	3	6	5	—	—
	1. ACCIDENT OR NEGLIGENCE .....	40	9	2	—	4	2	9	—	—	—	2	1	7	1	3	1	4	10	1	2	1	—
	3. HOMICIDE .....	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	4. SUICIDE .....	10	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	SUDDEN DEATHS (CAUSES UNASCERTAINED) .....	—	—	—	—	—	—	1	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—
	CAUSES NOT SPECIFIED .....	1	—	—	—	—	—	2	—	—	—	—	—	—	—	1	—	1	—	—	1	—	—
I.	<i>ORDER 1.</i>																						
	Measles .....	1	5	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Scarlatina .....	17	23	—	2	10	15	8	5	—	—	—	—	—	1	—	—	1	—	1	—	—	—
	Diphtheria .....	20	22	4	3	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—
	Quinsy .....	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Croup .....	14	17	1	5	2	3	18	7	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	Whooping Cough .....	6	16	—	—	—	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Typhoid Fever .....	12	13	1	1	1	1	1	2	1	—	—	2	1	—	—	—	2	—	—	—	—	—
	Erysipelas .....	—	3	—	1	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	Metria .....	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Influenza .....	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Dysentery .....	6	8	—	—	—	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diarrhoea .....	56	76	4	5	8	11	23	6	1	1	—	1	2	—	—	1	—	1	—	1	—	—
	Cholera .....	5	5	1	3	1	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Remittent Fever .....	—	1	—	—	—	—	—	1	—	—	1	—	—	1	1	—	1	—	—	—	—	—
	Rheumatism .....	4	4	—	—	—	2	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other causes .....	2	1	—	—	—	—	2	3	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	<i>ORDER 2.</i>																						
	Syphilis .....	5	3	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	Stricture of Urethra .....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
	<i>ORDER 3.</i>																						
	Privation .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Want of Breast Milk .....	11	12	—	—	1	1	9	5	—	—	—	—	1	2	—	—	—	1	—	—	—	—
	Purpura and Scurvy .....	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—
	Delirium Tremens .....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
	Intemperance .....	1	3	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
	<i>ORDER 4.</i>																						
	Thrush .....	7	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other causes .....	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.	<i>ORDER 1.</i>																						
	Gout .....	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	Dropsy .....	4	3	—	—	4	2	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—
	Cancer .....	18	20	—	—	2	2	—	2	—	—	—	—	—	1	1	—	—	1	2	1	1	—
	Mortification .....	2	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
	Other causes .....	7	7	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	<i>ORDER 2.</i>																						
	Scrofula .....	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Tabes Mesenterica .....	8	6	1	—	10	10	3	4	—	—	—	—	—	—	—	—	—	1	—	—	—	—
	Phthisis .....	103	63	4	2	6	—	18	5	—	—	—	—	—	—	—	—	—	—	—	2	—	—
	Hydrocephalus .....	12	8	1	—	—	—	2	1	—	—	—	—	—	—	1	—	1	—	5	2	1	—
	Other causes .....	4	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
III.	<i>ORDER 1.</i>																						
	Cephalitis .....	4	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
	Apoplexy .....	27	11	—	—	3	5	—	3	2	1	—	—	—	—	—	—	—	—	—	—	—	—
	Paralysis .....	21	9	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Insanity .....	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—



Morphett Vale.		Mount Barker.		Nairne.		Talunga.		Higherecombe.		Port Gawler.		Crawford.		Barossa.		Angaston.		Kapunda.		Gilbert.		Burra.		Clare.		Upper Wakefield.		Frome.		Flinders.		Total.			
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	Total.			
33	35	41	29	56	61	93	88	32	32	96	92	19	20	137	140	117	87	177	152	233	185	140	127	492	428	57	47	381	321	55	36	5,398	4,864	10,262	
16	9	16	16	28	27	22	17	12	12	11	18	7	4	44	37	34	42	76	40	51	58	69	54	169	112	23	16	146	86	19	10	2,297	1,705	3,992	
16	9	16	16	28	27	22	17	12	12	11	18	7	4	44	37	34	42	76	40	51	58	69	54	169	112	23	16	142	85	18	9	2,184	1,702	3,886	
3	2	1	6	3	5	3	2	3	3	3	3	1	1	10	11	4	5	8	5	13	15	20	18	54	31	4	3	34	26	2	2	456	479	935	
2	7	1	2	13	15	11	4	6	6	7	8	3	3	6	7	7	18	10	12	12	14	17	16	58	32	13	9	59	26	3	4	312	223	535	
1	3	1	1	6	4	4	2	4	4	1	3	2	1	7	1	4	3	2	5	5	4	3	4	17	12	2	1	7	6	2	1	904	508	1,502	
1	3	1	1	3	4	4	2	4	3	6	1	3	2	1	7	1	4	3	2	5	5	4	3	4	17	12	2	1	7	6	2	1	354	354	698
1	3	1	1	3	4	4	2	4	3	6	1	3	2	1	7	1	4	3	2	5	5	4	3	4	17	12	2	1	7	6	2	1	168	168	216
3	4	1	6	3	5	3	2	3	3	3	3	1	1	10	11	4	5	8	5	13	15	20	18	54	31	4	3	34	26	2	2	456	479	935	
2	7	1	2	13	15	11	4	6	6	7	8	3	3	6	7	7	18	10	12	12	14	17	16	58	32	13	9	59	26	3	4	312	223	535	
1	3	1	1	6	4	4	2	4	4	1	3	2	1	7	1	4	3	2	5	5	4	3	4	17	12	2	1	7	6	2	1	904	508	1,502	
1	3	1	1	3	4	4	2	4	3	6	1	3	2	1	7	1	4	3	2	5	5	4	3	4	17	12	2	1	7	6	2	1	354	354	698
1	3	1	1	3	4	4	2	4	3	6	1	3	2	1	7	1	4	3	2	5	5	4	3	4	17	12	2	1	7	6	2	1	168	168	216
1	3	1	1	3	4	4	2	4	3	6	1	3	2	1	7	1	4	3	2	5	5	4	3	4	17	12	2	1	7	6	2	1	168	168	216
1	3	1	1	3	4	4	2	4	3	6	1	3	2	1	7	1	4	3	2	5	5	4	3	4	17	12	2	1	7	6	2	1	168	168	216
1	3	1	1	3	4	4	2	4	3	6	1	3	2	1	7	1	4	3	2	5	5	4	3	4	17	12	2	1	7	6	2	1	168	168	216
1	3	1	1	3	4	4	2	4	3	6	1	3	2	1	7	1	4	3	2	5	5	4	3	4	17	12	2	1	7	6	2	1	168	168	216
1	3	1	1	3	4	4	2	4	3	6	1	3	2	1	7	1	4	3	2	5	5	4	3	4	17	12	2	1	7	6	2	1	168	168	216
1	3	1	1	3	4	4	2	4	3	6	1	3	2	1	7	1	4	3	2	5	5	4	3	4	17	12	2	1	7	6	2	1	168	168	216
1	3	1	1	3	4	4	2	4	3	6	1	3	2	1	7	1	4	3	2	5	5	4	3	4	17	12	2	1	7	6	2	1	168	168	216
1	3	1	1	3	4	4	2	4	3	6	1	3	2	1	7	1	4	3	2	5	5	4	3	4	17	12	2	1	7	6	2	1	168	168	216
1	3	1	1	3	4	4	2	4	3	6	1	3	2	1	7	1	4	3	2	5	5	4	3	4	17	12	2	1	7	6	2	1	168	168	216
1	3	1	1	3	4	4	2	4	3	6	1	3	2	1	7	1	4	3	2	5	5	4	3	4	17	12	2	1	7	6	2	1	168	168	216
1	3	1	1	3	4	4	2	4	3	6	1	3	2	1	7	1	4	3	2	5	5	4	3	4	17	12	2	1	7	6	2	1	168	168	216
1	3	1	1	3	4	4	2	4	3	6	1	3	2	1	7	1	4	3	2	5	5	4	3	4	17	12	2	1	7	6	2	1	168	168	216
1	3	1	1	3	4	4	2	4	3	6	1	3	2	1	7	1	4	3	2	5	5	4	3	4	17	12	2	1	7	6	2	1	168	168	216
1	3	1	1	3	4	4	2	4	3	6	1	3	2	1	7	1	4	3	2	5	5	4	3	4	17	12	2	1	7	6	2	1	168	168	216
1	3	1	1	3	4	4	2	4	3	6	1	3	2	1	7	1	4	3	2	5	5	4	3	4	17	12	2	1	7	6	2	1	168	168	216
1	3	1	1	3	4	4	2	4	3	6	1	3	2	1	7	1	4	3	2	5	5	4	3	4	17	12	2	1	7	6	2	1	168	168	216
1	3	1	1	3	4	4	2	4	3	6	1	3	2	1	7	1	4	3	2	5	5	4	3	4	17	12	2	1	7	6	2	1	168	168	216
1	3	1	1	3	4	4	2	4	3	6	1	3	2	1	7	1	4	3	2	5	5	4	3	4	17	12	2	1	7	6	2	1	168	168	216
1	3	1	1	3	4	4	2	4	3	6	1	3	2	1	7	1	4	3	2	5	5	4	3	4	17	12	2	1	7	6	2	1	168	168	216
1	3	1	1	3	4	4	2	4	3	6	1	3	2	1	7	1	4	3	2	5	5	4	3	4	17	12	2	1	7	6	2	1	168	168	216
1	3	1	1	3	4	4	2	4	3	6	1	3	2	1	7	1	4	3	2	5	5	4	3	4	17	12	2	1	7	6	2	1	168	168	216
1	3	1	1	3	4	4	2	4	3	6	1	3	2	1	7	1	4	3	2	5	5	4	3	4	17	12	2	1	7	6	2	1	168	168	216
1	3	1	1	3	4	4	2	4	3	6	1	3	2	1	7	1	4	3	2	5	5	4	3	4	17	12	2	1	7	6	2	1	168	168	216
1	3	1	1	3	4	4	2	4	3	6	1	3	2	1	7	1	4	3	2	5	5	4	3	4	17	12	2	1	7	6	2	1	168	168	216
1	3	1	1	3	4	4	2	4	3	6	1	3	2	1	7	1	4	3	2	5	5	4	3	4	17	12	2	1	7	6	2	1	168	168	216
1	3	1	1	3	4	4	2	4	3	6	1	3	2	1	7	1	4	3	2	5	5	4	3	4	17	12	2	1	7	6	2	1	168	168	216
1	3	1	1	3	4	4	2	4	3	6	1	3	2	1	7	1	4	3	2	5	5	4	3	4	17	12	2	1	7	6	2	1	168	168	216
1	3	1	1	3	4	4	2	4	3	6	1	3	2	1	7	1	4	3	2	5	5	4	3	4	17	12	2	1	7	6	2	1	168	168	216
1	3	1	1	3	4	4	2	4	3	6	1	3	2	1	7	1	4	3	2	5	5	4</													

Class.	Causes of Death.	Adelaide.		Hindmarsh.		Port Adelaide.		Daly.		Willunga.		Yankalilla.		Encounter Bay.		Strathalbyn.		Robe.		Grey.		Wellington.		
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
III.	ORDER 1—continued.																							
	Epilepsy .....	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Convulsions .....	20	12	2	6	12	4	—	4	—	—	—	—	—	—	2	2	—	—	2	2	1	1	
	Brain Disease .....	20	16	5	4	2	3	4	6	—	—	—	—	1	—	1	—	—	—	—	—	—	—	
	Other Causes .....	20	14	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
	ORDER 2.																							
	Pericarditis .....	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Aneurism .....	9	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Heart Disease .....	46	37	—	3	6	7	10	3	—	—	3	—	—	2	—	2	—	—	—	—	—	—	—
	Other Causes .....	4	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 3.																							
	Laryngitis .....	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Bronchitis .....	62	45	9	11	12	8	17	18	1	—	—	2	2	2	2	2	2	—	—	5	1	1	1
	Pleurisy .....	7	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Pneumonia .....	37	17	2	5	3	2	5	6	—	—	—	—	2	—	1	—	—	1	3	2	—	—	—
	Asthma .....	1	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	Lung Disease .....	4	2	1	1	4	1	4	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	2
	Other Causes .....	6	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 4.																							
	Gastritis .....	5	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
	Enteritis .....	9	6	1	1	1	—	2	2	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—
	Peritonitis .....	13	6	—	1	1	1	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Ascites .....	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Ulceration of Intestines .....	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hernia .....	2	2	—	—	1	—	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	Ileus .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	Intussusception .....	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Stricture of Intestines .....	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Fistula .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Stomach Disease, &c. ....	3	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Hepatitis .....	—	1	—	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Jaundice .....	4	—	1	—	1	—	3	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
	Liver Disease, &c. ....	7	8	2	1	2	1	1	2	—	—	—	—	—	—	—	1	—	—	1	2	—	1	—
	Spleen Disease .....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Causes .....	14	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
	ORDER 5.																							
	Nephritis .....	7	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nephria .....	5	8	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
	Diabetes .....	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	Stone .....	3	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Cystitis .....	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Kidney Disease .....	3	1	—	—	—	—	1	—	—	—	2	—	—	—	—	1	—	—	—	—	—	—	—
	Other Causes .....	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 6.																							
	Ovarian Dropsy .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Uterus Disease, &c. ....	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	ORDER 7.																							
	Arthritis .....	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Joint Disease, &c. ....	1	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
	ORDER 8.																							
	Phlegmon .....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Ulcer .....	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Skin Disease, &c. ....	1	4	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
IV.	ORDER 1.																							
	Premature Birth .....	22	13	—	2	2	5	7	4	—	—	—	—	1	—	—	—	—	—	1	—	—	—	
	Cyanosis .....	2	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Malformations .....	9	2	—	—	2	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	
	Teething .....	17	15	—	2	2	4	3	3	—	—	—	—	—	1	—	—	—	—	1	—	—	3	
	ORDER 2.																							
	Childbirth .....	—	4	—	2	—	—	—	5	—	—	—	—	—	1	—	—	—	1	—	3	—	2	
	ORDER 3.																							
	Old Age .....	37	36	3	5	1	1	5	—	2	—	—	2	—	3	2	2	2	—	3	3	—	—	
	ORDER 4.																							
	Atrophy and Debility .....	71	61	15	11	6	3	10	14	1	—	—	1	3	—	1	—	4	—	3	6	5	—	—
V.	ORDER 1.																							
	Fracture and Contusion .....	27	3	2	—	2	2	3	1	—	—	2	—	4	—	3	—	—	—	6	—	2	—	
	Gunshot .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Cut—Stab .....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	
	Burns and Scalds .....	—	2	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
	Poison .....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Drowning .....	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Suffocation .....	3	3	—	—	—	—	5	1	—	—	—	—	3	—	—	—	—	—	3	—	—	1	
	Otherwise .....	2	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
	ORDER 3.																							
	Manslaughter .....	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
ORDER 4 (Suicide).																								
Gunshot .....	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cut—Stab .....	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poison .....	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Drowning .....	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hanging .....	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	





## Return of Deaths at the Ages Under One Year, and One Year and Above, in the Year 1880.

	All Ages.	Under 1 Year.	1 and under 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and above.	Not stated.
All causes .....	3,912	1,393	580	323	590	509	442	74	1
Specified causes .....	3,886	1,390	578	318	584	501	440	74	1
CLASSES.									
I. ZYMOTIC DISEASES .....	935	408	306	103	59	36	22	1	—
II. CONSTITUTIONAL DISEASES .....	535	76	32	60	193	120	49	5	—
III. LOCAL DISEASES .....	1,502	469	164	105	228	286	239	11	—
IV. DEVELOPMENTAL DISEASES .....	698	426	45	7	30	17	117	56	—
V. VIOLENT DEATHS .....	216	11	31	43	74	42	13	1	1

## Causes of Death Registered in the Year 1880.

## Causes of Death Registered in the Year 1880.

Diseases.	All Ages.	Under 1 Year.	1 year and above.	Diseases.	All Ages.	Under 1 year.	1 year and above.
CLASS I.—ZYMOTIC DISEASES.				Order 8.—Diseases of Integumentary System .....	13	7	6
Order 1.—Miasmatic Diseases .....	832	334	498	CLASS IV.—DEVELOPMENTAL DISEASES.			
Order 2.—Enthetic Diseases .....	11	7	4	Order 1.—Developmental Diseases of Children .....	185	161	24
Order 3.—Dietic Diseases .....	75	53	22	Order 2.—Developmental Diseases of Adults .....	35	—	35
Order 4.—Parasitic Diseases .....	17	14	3	Order 3.—Developmental Diseases of Old People .....	166	—	166
CLASS II.—CONSTITUTIONAL DISEASES.				Order 4.—Diseases of Nutrition .....	312	265	47
Order 1.—Diathetic Diseases .....	148	7	141	CLASS V.—VIOLENT DEATHS.			
Order 2.—Tubercular Diseases .....	387	69	318	Order 1.—Accident or Negligence ....	186	10	176
CLASS III.—LOCAL DISEASES.				Order 2.—Homicide .....	5	1	4
Order 1.—Diseases of Nervous System..	431	163	268	Order 3.—Suicide .....	25	—	25
Order 2.—Diseases of Organs of Circulation .....	208	7	201	Sudden Deaths, Cause Unascertained ..	7	—	7
Order 3.—Diseases of Respiratory Organs	551	237	314	Causes Not Specified .....	19	3	16
Order 4.—Diseases of Digestive Organs	219	54	165				
Order 5.—Diseases of Urinary Organs..	67	1	66				
Order 6.—Diseases of Organs of Generation .....	5	—	5				
Order 7.—Diseases of Organs of Locomotion .....	8	—	8				

Class.	Cause of Death.	All Ages.	Under 1 year.	1 year and above.	Class.	Cause of Death.	All Ages.	Under 1 year.	1 year and above.
I.	ORDER 1.					ORDER 1—continued.	47	47	
	Measles .....	9	2	7		Diarrhoea .....	287	218	69
	Scarlatina .....	105	11	94		Cholera .....	23	10	13
	Diphtheria .....	93	15	78		Remittent Fever .....	13	3	10
	Cynanche Maligna .....	5	—	5		Rheumatism .....	20	—	20
	Quinsy .....	3	2	1		ORDER 2.			
	Croup .....	103	17	86		Syphilis .....	9	7	2
	Whooping Cough .....	38	24	14		Stricture of Urethra .....	2	—	2
	Typhoid Fever .....	63	1	62		ORDER 3.			
	Simple Continued Fever .....	4	—	4		Privation .....	2	—	2
	Erysipelas .....	8	4	4		Want of Breast Milk .....	47	45	2
	Metria .....	4	—	4		Inanition of Infancy .....	6	6	—
	Carbuncle .....	1	—	1		Purpura and Scurvy .....	5	2	3
	Influenza .....	6	4	2		Bronchocele .....	1	—	1
	Dysentery .....	47	23	24		Alcoholism { Delirium Tremens ....	3	—	3
						{ Intemperance .....	11	—	11



## Causes of Death, &amp;c.,—continued.

Class.	Cause of Death.	All Ages.	Under 1 year.	1 year and above.	Class.	Cause of Death.	All Ages.	Under 1 year.	1 year and above.
I.	ORDER 4.					ORDER 4—continued.			
	Thrush .....	14	14	—		Melæna .....	1	—	1
	Hydatids .....	3	—	3		Stomach Disease .....	14	4	10
	ORDER 1.					Hepatitis .....	9	—	9
	Gout .....	2	—	2		Jaundice .....	15	10	5
	Dropsy .....	43	4	39		Liver Disease .....	43	2	41
	Anæmia .....	6	1	5		Cirrhosis .....	10	—	10
	Leucæmia .....	3	—	3		Spleen Disease .....	1	—	1
	Polypus .....	1	—	1		ORDER 5.			
	Cancer .....	74	—	74		Nephritis .....	10	1	9
II.	Mortification .....	4	1	3		Nephria .....	19	—	19
	Septicæmia .....	3	1	2		Diabetes .....	5	—	5
	Gangrene .....	2	—	2		Stone .....	5	—	5
	Gangræna Senilis .....	2	—	2		Cystitis .....	8	—	8
	Hæmorrhage .....	2	—	2		Disease of Prostate Gland .....	2	—	2
	Tumor .....	3	—	3		Bladder Disease .....	2	—	2
	Abscess .....	3	—	3		Uræmia .....	3	—	3
	ORDER 2.					Kidney Disease .....	13	—	13
	Scrofula .....	11	2	9		ORDER 6.			
	Tabes Mesenterica .....	54	41	13		Ovarian Dropsy .....	2	—	2
III.	Phthisis .....	277	8	269	IV.	Metritis .....	1	—	1
	Hæmoptysis .....	6	—	6		Uterus Disease .....	2	—	2
	Hydrocephalus .....	39	18	21		ORDER 7.			
	ORDER 1.					Arthritis .....	2	—	2
	Meningitis .....	35	14	21		Necrosis .....	1	—	1
	Cephalitis .....	16	9	7		Joint Disease .....	5	—	5
	Myelitis .....	1	—	1		ORDER 8.			
	Apoplexy .....	81	—	81		Phlegmon .....	1	—	1
	Paralysis .....	45	—	45		Pyæmia .....	2	—	2
	Insanity .....	7	—	7	V.	Ulcer .....	5	4	1
	Epilepsy .....	19	—	19		Eczema .....	2	1	1
	Convulsions .....	135	114	21		Pemphigus .....	1	—	1
	Neuroencephalus .....	6	—	6		Skin Disease .....	2	2	—
	Otitis .....	1	1	—		ORDER 1.			
	Idiopathic Tetanus .....	2	—	2		Premature Birth .....	79	79	—
	Brain Disease .....	83	25	58		Cyanosis .....	6	4	2
	ORDER 2.					Spina Bifida .....	1	1	—
	Pericarditis .....	6	1	5		Cleft Palate .....	1	1	—
	Carditis .....	1	—	1		Other Malformations .....	18	17	1
	Aneurism .....	12	—	12		Teething .....	80	59	21
	Angina Pectoris .....	2	1	1		ORDER 2.			
	Syncope .....	3	—	3		Childbirth .....	31	—	31
	Embolism .....	2	—	2		Abortion .....	1	—	1
	Heart Disease .....	182	5	177		Puerperal Convulsions .....	1	—	1
	ORDER 3.					Flooding .....	1	—	1
	Laryngitis .....	10	1	9		Phlegmasia Dolens .....	1	—	1
	Bronchitis .....	323	193	130		ORDER 3.			
	Pleurisy .....	14	—	14		Old Age .....	166	—	166
	Pneumonia .....	139	23	116		ORDER 4.			
	Asthma .....	10	—	10		Atrophy and Debility .....	312	265	47
	Emphysema .....	2	—	2		ORDER 1.			
	Congestion of Lungs .....	10	7	3		Fracture and Contusion .....	96	—	96
	Pulmonary Apoplexy .....	1	—	1		Gunshot Wounds .....	3	—	3
	Lung Disease .....	42	13	29		Cut, Stab .....	1	—	1
	ORDER 4.					Burns and Scalds .....	22	3	19
	Stomatitis .....	1	—	1		Poison .....	4	—	4
	Pharyngitis .....	3	—	3		Drowning .....	47	1	46
	Œsophagitis .....	2	—	2		Suffocation .....	9	5	4
	Gastritis .....	15	6	9		Sunstroke .....	3	1	2
	Enteritis .....	38	20	18		Otherwise .....	1	—	1
	Peritonitis .....	35	2	33		ORDER 2.			
	Ascites .....	5	1	4		Homicide .....	5	1	4
	Ulceration of Intestines .....	5	1	4		ORDER 3.			
	Hernia .....	8	2	6		Gunshot Wounds .....	7	—	7
	Inguinal Hernia .....	1	—	1		Cut, Stab .....	5	—	5
	Umbilical Hernia .....	1	—	1		Poison .....	3	—	3
	Ilens .....	2	1	1		Drowning .....	6	—	6
	Obstruction of Bowels .....	5	2	3		Hanging .....	4	—	4
	Intussusception .....	1	1	—		Sudden Deaths, Cause unascertained	8	—	8
	Stricture of Intestines .....	1	—	1		Cause not specified .....	18	1	17
	Fistula .....	1	—	1					
	Hæmatemesis .....	2	2	—					

Return showing the Births and Deaths Registered

Cause of Death.	[Age...			Births.		1		2		3		4		5		10		15		20		25	
						M.		F.		M.		F.		M.		F.		M.		F.		M.	
				M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.
January	434	384	818	79	71	150	20	10	30	5	4	9	2	3	5	3	6	9	5	8	13	4	10
I. Zymotic diseases				37	32	69	5	5	10	2	3	5	1	2	3	1	4	5	1	2	3	1	3
II. Constitutional diseases				4	3	7																	
III. Local diseases				13	11	24	5	3	8	3	1	4	1	1	2				4	1		1	2
IV. Developmental diseases				25	24	49				2		2											
V. Violent deaths					1	1			2		1					1	1		1		3		2
Unstated																							
February	383	328	711	68	71	139	13	9	22	4	5	9	5	1	6	7	6	2	7	7	6	9	4
I. Zymotic diseases				18	32	50	5	1	6	1	1	2	4		2	4	4		5	1	1	2	1
II. Constitutional diseases				4	5	9													1	1	1	2	1
III. Local diseases				17	17	34	3	3	6	2	2	4	1	2	3	2	2	1	1	2	2	4	3
IV. Developmental diseases				28	16	44	1		1		1												
V. Violent deaths				1	1	2						1		1		1		1		3		3	
Unstated																							
March	406	373	779	80	75	155	14	23	37	7	5	12	3	1	4	6	5	5	4	2	3	9	6
I. Zymotic diseases				31	26	57	5	11	16	2	2	4	3		4	3	3	4		2	1	2	
II. Constitutional diseases				9	7	16																	
III. Local diseases				17	11	28	3	4	7	2		2				2	1	2				4	1
IV. Developmental diseases				22	31	53	4	3	7	1	1	2											
V. Violent deaths								3	3									3				3	
Unstated				1		1																	
April	486	432	918	83	52	135	29	15	44	7	3	10	6	3	9	4	6	3	4	9	5	5	7
I. Zymotic diseases				25	13	38	11	7	18	4	3	7	5	3	5	2	2	3	1	3	1	2	1
II. Constitutional diseases				1	3	4		5	9														
III. Local diseases				18	11	29	10	1	11	2					1	2	2	1	1	2	3	1	3
IV. Developmental diseases				38	25	63	4	2	6														
V. Violent deaths				1		1						1						1		2		2	
Unstated																							
May	494	443	937	71	53	124	14	15	29	9	1	10	3	7	6	4	8	5	2	1	4	7	6
I. Zymotic diseases				21	11	32	4	6	10	8	1	3	4	6	3	2	1	2	1	2	2	1	1
II. Constitutional diseases				4	5	9		1	1														
III. Local diseases				24	19	43	5	4	9	1			2		1	2	3	2	1	1	1	3	4
IV. Developmental diseases				22	18	40	4	3	7														
V. Violent deaths							1	1	2							3							1
Unstated																							
June	539	437	976	55	27	82	11	12	23	9	4	13	4	2	6	3	7	1	4	6	5	13	4
I. Zymotic diseases				7	8	15	5	6	11	4	1	1	3	2	5	2	4			1	1	9	
II. Constitutional diseases				1	2	3																	
III. Local diseases				24	9	33	5	4	9	4	2		1			1	2	1	3	3		2	3
IV. Developmental diseases				22	8	30	1	1	2														1
V. Violent deaths				1		1		1	2		1				1			1				1	
Unstated																							
July	493	494	987	74	47	121	18	22	40	4	3	7	6	4	10	2	7	5	1	7	6	8	5
I. Zymotic diseases				7	9	16	6	9	15	2	2	3	3	1	7	2	4			1	2	1	2
II. Constitutional diseases				8	1	9																	
III. Local diseases				46	28	74	11	9	20	2		3		1	3		3	1	1	1	2	4	2
IV. Developmental diseases				11	9	20		4	14														
V. Violent deaths				1		1			1		1							2		2		2	
Unstated				1		1																	
August	488	411	899	63	48	111	8	10	18	7	3	4	2	4	5	4	8	4		6	8	9	9
I. Zymotic diseases				3	9	12	3	5	8	3	3	2	2	4	2	2	3	1		2			
II. Constitutional diseases					1	1																	
III. Local diseases				51	28	79	3	3	6	1						2	3	2		3	4	3	4
IV. Developmental diseases				8	9	17	2	1	3														1
V. Violent deaths					1	1		3	4						2	2		1		1		1	
Unstated				1		1																	
September	487	451	938	41	36	77	6	8	14	3	7	1	1	3	1	5	3	5	3	4	2	7	5
I. Zymotic diseases				7	6	13	1	5	6	1	5			1	1	1	1	2	2		1	1	
II. Constitutional diseases				3		3																	
III. Local diseases				23	21	44	2	3	5	2	2		1	2		1	1	1	1	1	4	3	
IV. Developmental diseases				7	9	16																	
V. Violent deaths				1		1										1	1		1		1		
Unstated																							
October	402	383	785	20	32	52	9	5	14	7	3	1				5	4	5	3	3	4	8	5
I. Zymotic diseases				5	6	11	2	4	6		4	2											
II. Constitutional diseases					2	2																	
III. Local diseases				10	14	24	3	1	4	2						3	1	1	3	2	2	1	3
IV. Developmental diseases				5	10	15																	
V. Violent deaths																							
Unstated																							
November	423	378	801	56	40	96	4	14	18	3	4	1	3	1	2	4	10	6	2	6	4	6	1
I. Zymotic diseases				21	17	38	1	6	7	2	3	1	2		2	2	6			1	1		1
II. Constitutional diseases				6	2	8																	
III. Local diseases				15	4	19	2	6	8	1	1		1				2	3	2	3	1	2	
IV. Developmental diseases				13	15	28	1	2	3														
V. Violent deaths				1	2	3																	
Unstated																							
December	363	350	713	100	51	151	13	12	25	4	6	1	4	2	5	4		6	2	5	4	9	10
I. Zymotic diseases				35	22	57	6	6	12	3	5	1	3		4			2		2		2	2
II. Constitutional diseases				5		5																	
III. Local diseases				26	12	38	7	3	10		1		1							1	1	3	4
IV. Developmental diseases				34	17	51		3	3														3
V. Violent deaths														2						2		2	
Unstated																							

790  
603



[illegible]

[Age.....		Births.			1		2		3		4		5		10		15		20		25		
Cause of Death.				M.	F.	Total	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
January .....				71	59	130	18	18	2	7	1	2	—	1	1	—	1	2	—	1	1	—	1
I. Zymotic diseases .....							8	10	2	5	1	2	—	1	—	1	1	2	—	—	—	1	
II. Constitutional diseases .....							—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
III. Local diseases .....							5	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
IV. Developmental diseases .....							5	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
V. Violent deaths .....							—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Unstated .....							—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
February.....				58	43	101	10	14	4	2	—	2	—	—	—	1	2	—	2	3	2	5	
I. Zymotic diseases .....							4	9	4	2	—	1	—	—	—	1	2	—	1	—	—	—	
II. Constitutional diseases .....							—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
III. Local diseases .....							—	2	—	—	—	1	—	—	—	—	—	—	1	1	3	1	
IV. Developmental diseases .....							6	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
V. Violent deaths .....							—	—	—	—	—	—	—	—	—	—	—	—	2	—	2	—	
Unstated .....							—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
March .....				64	61	125	15	11	7	6	—	1	1	—	1	2	2	—	1	1	—	5	
I. Zymotic diseases .....							2	4	2	2	—	1	1	—	1	2	2	—	—	—	—	—	
II. Constitutional diseases .....							2	1	2	1	—	—	—	—	—	—	—	—	—	—	—	2	
III. Local diseases .....							2	1	—	1	—	—	—	—	—	—	—	—	—	—	4	—	
IV. Developmental diseases .....							9	5	3	2	—	—	—	—	—	—	—	—	1	—	—	—	
V. Violent deaths .....							—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	
Unstated .....							—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
April.....				63	80	143	19	8	4	3	2	—	3	—	3	1	1	2	1	1	1	1	
I. Zymotic diseases .....							6	4	—	3	1	—	3	—	3	1	1	1	—	1	1	1	
II. Constitutional diseases .....							1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
III. Local diseases .....							2	1	3	—	1	—	—	—	—	—	—	—	—	—	—	—	
IV. Developmental diseases .....							10	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
V. Violent deaths .....							—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Unstated .....							—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
May .....				65	61	126	12	11	5	5	—	—	2	1	—	—	1	1	—	1	—	2	
I. Zymotic diseases .....							2	3	1	1	—	—	1	1	—	—	—	—	—	—	—	1	
II. Constitutional diseases .....							—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
III. Local diseases .....							4	2	2	1	—	—	1	—	—	—	—	—	1	—	—	—	
IV. Developmental diseases .....							6	5	2	2	—	—	—	—	—	—	—	—	—	—	—	—	
V. Violent deaths .....							—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Unstated .....							—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
June .....				66	46	112	7	5	3	3	1	2	—	—	—	1	1	—	2	1	7	2	
I. Zymotic diseases .....							1	1	1	1	1	—	—	—	—	1	—	—	—	—	1	—	
II. Constitutional diseases .....							—	1	—	—	—	—	—	—	—	—	—	—	—	1	4	—	
III. Local diseases .....							3	3	2	1	—	1	—	—	—	—	—	—	2	—	1	2	
IV. Developmental diseases .....							4	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
V. Violent deaths .....							—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	
Unstated .....							—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
July .....				73	74	147	9	7	6	3	1	—	1	—	3	—	—	—	1	1	2	3	
I. Zymotic diseases .....							—	—	1	1	—	—	—	—	2	—	—	—	—	—	—	—	
II. Constitutional diseases .....							2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
III. Local diseases .....							4	4	5	1	1	—	1	—	1	—	—	—	1	1	3	—	
IV. Developmental diseases .....							3	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
V. Violent deaths .....							—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Unstated .....							—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
August .....				57	72	129	6	9	—	—	1	1	—	—	2	2	1	1	—	1	4	5	
I. Zymotic diseases .....							—	3	—	—	1	1	—	—	1	—	—	—	—	—	—	—	
II. Constitutional diseases .....							—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	5	
III. Local diseases .....							4	2	—	—	—	—	—	—	—	1	—	—	—	1	4	3	
IV. Developmental diseases .....							2	4	—	—	—	—	—	—	—	—	—	—	—	3	—	2	
V. Violent deaths .....							—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	
Unstated .....							—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
September .....				64	64	128	9	5	1	—	1	2	—	—	—	2	1	—	1	—	4	2	
I. Zymotic diseases .....							1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
II. Constitutional diseases .....							1	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	
III. Local diseases .....							5	2	1	—	1	2	—	—	—	—	—	—	—	—	4	1	
IV. Developmental diseases .....							2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
V. Violent deaths .....							—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Unstated .....							—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
October .....				47	60	107	4	7	4	—	1	—	1	—	—	1	1	1	—	—	3	1	
I. Zymotic diseases .....							1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
II. Constitutional diseases .....							—	1	1	—	—	—	—	—	—	—	—	—	—	—	2	1	
III. Local diseases .....							2	3	—	—	1	—	—	—	—	—	—	1	—	—	—	—	
IV. Developmental diseases .....							1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
V. Violent deaths .....							—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Unstated .....							—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
November .....				54	49	103	10	14	2	1	1	—	—	—	—	—	1	2	1	1	1	2	
I. Zymotic diseases .....							4	9	1	1	—	—	—	—	—	—	1	—	—	—	—	—	
II. Constitutional diseases .....							1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
III. Local diseases .....							1	1	1	—	1	—	—	—	—	—	—	1	—	—	1	—	
IV. Developmental diseases .....							3	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
V. Violent deaths .....							1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Unstated .....							—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
December .....				46	41	87	20	15	5	5	—	3	—	1	—	1	2	—	3	2	2	4	
I. Zymotic diseases .....							8	6	2	2	—	3	—	1	—	1	—	1	—	—	—	—	
II. Constitutional diseases .....							—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
III. Local diseases .....							3	2	3	2	—	—	—	—	—	1	—	—	—	1	1	—	
IV. Developmental diseases .....							9	7	—	1	—	—	—	—	—	—	—	—	—	1	2	1	
V. Violent deaths .....							—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Unstated .....							—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	



*in the City of Adelaide in each Month of the Year 1880.*

[illegible]

Return of Births and Deaths registered in the City of Adelaide in the Year 1880.

Population (Census)* .....	31,573								
Births .....	1,438								
Rate per 1,000* .....	45.55								
Deaths—	All Ages.	Under 1 Year.	1 and under 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Not stated.
All causes .....	971	263	125	73	196	160	128	26	—
Rate per 1,000* .....	30.75	—	—	—	—	—	—	—	—
Specified causes .....	971	263	125	73	196	160	128	26	—
CLASSES.									
I. ZYMOTIC DISEASES .....	210	88	64	23	16	10	9	—	—
II. CONSTITUTIONAL DISEASES .....	178	12	5	18	85	43	13	2	—
III. LOCAL DISEASES .....	367	60	36	26	76	96	66	7	—
IV. DEVELOPMENT DISEASES .....	174	102	16	1	2	1	35	17	—
V. VIOLENT DEATHS .....	42	1	4	5	17	10	5	—	—

\* Estimated population July 1st—39,146; Birth-rate per 1,000—36.73; Death-rate—24.80.

Causes of Deaths registered in Year 1880.

Diseases.	All Ages.	Under 1 Year.	1 Year and above.
CLASS I.—ZYMOTIC DISEASES.			
Order 1.—Miasmatic Diseases.....	175	63	112
Order 2.—Enthetic Diseases .....	7	6	1
Order 3.—Dietic Diseases .....	22	16	6
Order 4.—Parasitic Diseases .....	6	3	3
CLASS II.—CONSTITUTIONAL DISEASES.			
Order 1.—Diathetic Diseases .....	35	1	34
Order 2.—Tubercular Diseases .....	143	11	132
CLASS III.—LOCAL DISEASES.			
Order 1.—Diseases of Nervous System ..	119	24	95
Order 2.—Diseases of Organs of Circulation .....	68	1	67
Order 3.—Diseases of Respiratory Organs ..	95	30	65
Order 4.—Diseases of Digestive Organs ..	55	5	50
Order 5.—Diseases of Urinary Organs ..	25	—	25
Order 6.—Diseases of Organs of Generation .....	1	—	1

Causes of Death, &c.—continued.

Diseases.	All Ages.	Under 1 Year.	1 Year and above.
Order 7.—Diseases of Organs of Locomotion .....	1	—	1
Order 8.—Diseases of Integumentary System .....	3	—	3
CLASS IV.—DEVELOPMENTAL DISEASES.			
Order 1.—Developmental Diseases of Children .....	43	37	6
Order 2.—Developmental Diseases of Adults .....	2	—	2
Order 3.—Developmental Diseases of Old People .....	51	—	51
Order 4.—Diseases of Nutrition ..	78	65	13
CLASS V.—VIOLENT DEATHS.			
1. Accident or Negligence .....	32	1	31
3. Homicide .....	2	—	2
4. Suicide .....	8	—	8

Class.	Causes of Death.	All Ages.	Under 1 Year.	1 Year and above.	Class.	Causes of Death.	All Ages.	Under 1 Year.	1 Year and above.
I.	ORDER 1.					ORDER 1—continued.			
	Measles.....	5	—	5		Diarrhœa .....	63	43	20
	Scarlatina .....	20	2	18		Cholera.....	7	2	5
	Diphtheria .....	18	—	18		Rheumatism .....	4	—	4
	Croup .....	11	1	10		ORDER 2.			
	Whooping Cough .....	15	9	6		Syphilis .....	6	6	—
	Typhoid Fever .....	17	—	17		Stricture of Urethra .....	1	—	1
	Simple Continued Fever .....	1	—	1		ORDER 3.			
	Erysipelas .....	2	1	1		Want of Breast-milk .....	15	14	1
	Metria .....	1	—	1		Inanition of Infancy .....	2	2	—
	Carbuncle .....	1	—	1		Bronchocele .....	1	—	1
	Influenza .....	3	1	2		Alcoholism { a. Delirium Tremens .	—	—	—
	Dysentery .....	7	4	3		{ b. Intemperance ....	4	—	4



Causes of Deaths, &c.—continued.

Class.	Causes of Death.	All Ages.	Under 1 Year.	1 Year and above.	Class.	Causes of Death.	All Ages.	Under 1 Year.	1 Year and above.
II.	ORDER 4.					ORDER 4—continued.			
	Thrush .....	3	3	—		Inguinal Hernia .....	1	—	1
	Hydatids .....	3	—	3		Obstruction of Bowels .....	2	1	1
	ORDER 1.					Stomach Disease .....	3	—	3
	Gout .....	1	—	1		Hepatitis .....	1	—	1
	Dropsy .....	5	1	4		Jaundice .....	3	1	2
	Anaemia .....	2	—	2		Liver Disease .....	11	1	10
	Leucæmia .....	3	—	3		Cirrhosis .....	7	—	7
	Tumor .....	2	—	2		Spleen Disease .....	1	—	1
	Cancer .....	17	—	17		ORDER 5.			
	Mortification .....	2	—	2		Nephritis .....	8	—	8
	Gangraena Senilis .....	2	—	2		Nephria .....	5	—	5
III.	Hæmorrhage .....	1	—	1	VI.	Diabetes ..	1	—	1
	ORDER 2.					Stone .....	2	—	2
	Scrofula .....	2	—	2		Prostate Disease .....	2	—	2
	Tabes Mesenterica .....	7	5	2		Bladder Disease .....	2	—	2
	Phthisis .....	119	3	116		Uraemia .....	2	—	2
	Hæmoptysis .....	3	—	3		Kidney Disease .....	3	—	3
	Hydrocephalus .....	12	3	9		ORDER 6.			
	ORDER 1.					Uterus Disease .....	1	—	1
	Cephalitis .....	2	—	2		ORDER 7.			
	Meningitis .....	9	2	7		Joint and Bone Disease .....	1	—	1
	Apoplexy .....	27	—	27		ORDER 8.			
	Paralysis .....	25	—	25		Pyæmia .....	2	—	2
	Insanity .....	5	—	5	V.	Pemphigus .....	1	—	1
	Epilepsy .....	4	—	4		ORDER 1.			
	Convulsions .....	18	15	3		Premature Birth .....	20	20	—
	Necrencephalus .....	2	—	2		Cyanosis .....	1	1	—
	Otitis .....	1	1	—		Cleft Palate .....	1	1	—
	Brain Disease .....	26	6	20		Other Malformations .....	7	7	—
	ORDER 2.					Teething .....	14	8	6
	Aneurism .....	5	—	5		ORDER 2.			
	Angina Pectoris .....	1	—	1		Childbirth .....	2	—	2
	Embolism .....	2	—	2		ORDER 3.			
	Heart Disease .....	60	1	59		Old Age .....	51	—	51
	ORDER 3.					ORDER 4.			
	Laryngitis .....	1	—	1		Atrophy and Debility .....	78	65	13
	Bronchitis .....	43	22	21		ORDER 1.			
	Pleurisy .....	3	—	3		Fracture and Contusion .....	22	—	22
	Pneumonia .....	35	5	30		Burns .....	2	—	2
	Asthma .....	2	—	2		Poison .....	1	—	1
	Emphysema .....	1	—	1		Drowning .....	2	—	2
	Congestion of Lungs .....	5	3	2		Suffocation .....	4	1	3
	Pulmonary Apoplexy .....	1	—	1		Sunstroke .....	1	—	1
	Lung Disease .....	4	—	4		ORDER 3.			
	ORDER 4.					Manslaughter .....	2	—	2
	Stomatitis .....	1	—	1		ORDER 4.			
	Esophagitis .....	1	—	1		Gunshot Wounds .....	1	—	1
	Gastritis .....	2	—	2		Cut .....	3	—	3

Return showing the Number of Persons Married, at different ages, in the province in the Year 1880.

	15 and under 20		25		30		35		40		45		50		55		60		65		70 and upwards.		Not Stated.		Total.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	Total.
Celebrated in Quarter ended—																											
March 31 .....	22	206	320	307	183	79	60	26	34	9	8	9	6	4	4	1	3	2	2	—	1	—	24	24	667	667	1334
June 30 .....	13	158	249	246	147	63	48	20	22	13	14	6	9	8	10	3	6	3	2	—	—	—	14	14	534	534	1068
September 30 .....	14	145	251	238	125	73	53	24	32	12	11	9	5	4	7	2	8	1	2	2	2	—	15	15	525	525	1050
December 31 .....	14	192	292	260	145	68	56	15	32	10	6	7	6	5	2	1	2	—	3	1	1	—	6	6	565	565	1130
Total .....	63	701	1112	1051	600	283	217	85	120	44	39	31	26	21	23	7	19	6	9	3	4	—	59	59	2291	2291	4582
Widowers and Spinsters .....	—	20	11	62	20	23	40	11	42	13	8	7	7	1	3	—	5	—	1	1	1	—	2	2	140	140	280
Widowers and Widows .....	—	—	3	—	3	19	6	11	13	12	10	16	13	16	13	6	14	4	9	2	2	—	5	5	91	91	182
Bachelors and Widows .....	1	—	19	19	28	28	15	19	16	13	5	7	2	3	3	—	—	—	—	—	—	—	4	4	93	93	186
Signature by marks .....	4	41	39	48	29	24	18	10	10	12	3	7	5	8	4	3	1	—	1	—	2	—	3	3	119	156	275

Ages of 2,232 Men and 2,232 Women who Intermarried in 1880.

		AGES OF WIVES.																	
Years.		15.	16.	17.	18,	19.	20.	21.	25.	30.	35.	40.	45.	50.	55.	60.	65.	Total Husbands.	Years.
Ages of Husbands.	15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	15
	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	16
	17	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	17
	18	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	2	18
	19	—	1	1	1	2	3	2	2	—	—	—	—	—	—	—	—	12	19
	20	1	—	1	6	13	7	10	10	1	—	—	—	—	—	—	—	49	20
	21	—	3	3	16	21	28	45	26	7	—	—	—	—	—	—	—	149	21
	25	—	11	38	87	113	133	145	377	76	13	3	—	—	—	—	—	996	25
	30	4	6	16	32	52	51	72	213	107	20	1	—	1	—	—	—	575	30
	35	—	—	2	7	10	14	19	84	46	19	11	2	—	—	—	—	214	35
	40	—	—	—	—	8	4	8	33	30	17	8	5	2	—	—	—	115	40
	45	—	—	—	—	2	1	—	4	9	9	9	3	1	—	—	—	38	45
	50	—	—	—	—	—	—	1	—	4	2	7	6	4	1	1	—	26	50
	55	—	—	—	—	—	—	—	—	2	2	2	8	5	3	—	—	22	55
	60	—	—	—	—	—	—	—	—	1	1	3	4	5	2	3	—	19	60
65	—	—	—	—	—	—	—	—	—	1	—	2	2	1	2	1	9	65	
70	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	2	70	
75	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	2	75	
80	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	80	
Total Wives		5	21	64	149	221	241	302	749	283	85	44	31	21	7	6	3	2,232	Husbands.
																		2,232	Wives.

NOTE.—The table read vertically shows the number of wives at each age, with the ages of their husbands when married. Read horizontally the table shows the number of husbands at each age, with the ages of their wives when married.